



JV JSC Brestgazoapparat, Republic of Belarus, 224016, Brest, Ordzhonikidze str., 22
 Reception: tel. (+375 162) 27-66-77 fax: (+375 162) 27-66-70

Marketing department: tel.: (+375 162) 27-64-42, 27-67-91, 27-67-31 fax: (+375 162) 27-66-72 (24hs)

Unitary enterprise Gefest-Technika, Republic of Belarus, 224016, Brest, Suvorova, 21
 95 fax: (+375 162) 28-71-95

Reception: tel. (+375 162) 28-71-

E-mail: mark.zov@gefest.org, mark.smn@gefest.org, mark.dvk@gefest.org

www.gefest.com

PRICE LIST OF PRODUCTS UNDER TRADE MARK GEFEST

Model	Description	Distinctive features	Dimensions (H*W*D)	Price, Euro, VAT rate 0%		Price, \$, VAT rate 0%	
				prepayment	deferment of payment	prepayment	deferment of payment
Gas domestic cookers							
ПГ 1200-C5	mechanical timer, oven gas-control, electric ignition of cooking surface burners, ignition knob on control panel, single oven illumination, stamped guides, oven thermopointer, metal cover of cooker, utensil box, adjustment feet. Oven net volume is 63 l.	white color	85x60x60	121	123	126	128
ПГ 1200-C5 K50	mechanical timer, oven gas-control, electric ignition of cooking surface burners, ignition knob on control panel, single oven illumination, stamped guides, oven thermopointer, metal cover of cooker, utensil box, adjustment feet, cast-iron grids. Oven net volume is 63 l.	white color	85x60x60	127	129	132	134
ПГ 1200-C6	oven gas-control, electric ignition of hob burners, ignition knob on control panel, single oven illumination, stamped guides, oven thermopointer, metal cover of cooker, utensil box, adjustment feet. Oven net volume is 63 l.	white color	85x60x60	112	114	117	119
ПГ 1200-C6 K19	oven gas-control, electric ignition of hob burners, ignition knob on control panel, single oven illumination, stamped guides, oven thermopointer, metal cover of cooker, utensil box, adjustment feet. Oven net volume is 63 l.	brown color	85x60x60	114	116	119	121
ПГ 1200-C6 K33	gas-control of oven and hob burners, electric ignition of hob burners, ignition knob on control panel, single oven illumination, stamped guides, oven thermopointer, metal cover of cooker, utensil box, adjustment feet. Oven net volume is 63 l.	white color	85x60x60	123	125	128	130
ПГ 1200-C6 K50	oven gas-control, electric ignition of cooking surface burners, ignition knob on control panel, single oven illumination, stamped guides, oven thermopointer, metal cover of cooker, utensil box, adjustment feet, cast-iron grids. Oven net volume is 63 l.	white color	85x60x60	118	120	123	125
ПГ 1200-C6 K59	oven gas-control, electric ignition of cooking surface burners, ignition knob on control panel, single oven illumination, stamped guides, oven thermopointer, metal cover of cooker, utensil box, adjustment feet, cast-iron grids. Oven net volume is 63 l.	brown color	85x60x60	120	122	125	127
ПГ 1200-C7	oven gas-control, single oven illumination, stamped guides, oven thermopointer, metal cover of cooker. Oven net volume is 63 l.	white color	85x60x60	108	110	112	114
ПГ 1200-C7 K19	oven gas-control, single oven illumination, stamped guides, oven thermopointer, metal cover of cooker. Oven net volume is 63 l.	brown color	85x60x60	110	112	114	116
ПГ 1200-C7 K43	gas-control of oven and hob burners, single oven illumination, stamped guides, oven thermopointer, cover of cooker. Oven net volume is 63 l.	brown color	85x60x60	120	122	125	127
ПГ 1200-C7 K50	gas-control of oven and hob burners, single oven illumination, stamped guides, oven thermopointer, metal cover of cooker. Oven net volume is 63 l.	white color	85x60x60	114	116	119	121
ПГ 1200-C7 K59	gas-control of oven and hob burners, single oven illumination, stamped guides, oven thermopointer, metal cover of cooker. Oven net volume is 63 l.	brown color	85x60x60	116	118	121	123
ПГ 1200-C7 K8	gas-control of oven, stamped guides, oven thermopointer, metal cover of cooker. Oven net volume is 63 l.	white color	85x60x60	89	90	93	94
ПГ 1200-C7 K58	gas-control of oven, stamped guides, oven thermopointer, metal cover of cooker, cast-iron grids. Oven net volume is 63 l.	white color	85x60x60	95	96	99	100
ПГ 3200-03 K33	gas-control of oven and hob burners, electric ignition of hob burners and oven, ignition knob on control panel, grill-burner, oven thermoregulator, single oven illumination, stamped guides, metal cover of cooker, utensil box, adjustment feet. Oven net volume is 42 l.	white color	85x50x57	132	134	137	139
ПГ 3200-05	mechanical timer, oven gas-control, electric ignition of cooking surface burners, ignition knob on control panel, single oven illumination, stamped guides, oven thermopointer, metal cover, utensil box, adjustment feet. Oven net volume is 42 l.	white color	85x50x57	110	112	114	116
ПГ 3200-05 K19	mechanical timer, oven gas-control, electric ignition of cooking surface burners, ignition knob on control panel, single oven illumination, stamped guides, oven thermopointer, metal cover, utensil box, adjustment feet. Oven net volume is 42 l.	brown color	85x50x57	111	113	116	118
ПГ 3200-05 K33	mechanical timer, gas-control of oven and hob burners, electric ignition of cooking surface burners, ignition knob on control panel, single oven illumination, stamped guides, oven thermopointer, metal cover, utensil box, adjustment feet. Oven net volume is 42 l.	white color	85x50x57	120	122	125	127
ПГ 3200-06	oven gas-control, electric ignition of cooking surface burners, ignition knob on control panel, single oven illumination, stamped guides, oven thermopointer, metal cover, utensil box, adjustment feet. Oven net volume is 42 l.	white color	85x50x57	102	104	106	108
ПГ 3200-06 K2		white color, glass cover	85x50x57	114	116	119	121
ПГ 3200-06 K19		brown color	85x50x57	103	105	107	109
ПГ 3200-06 K62		stainless steel hob and front panel, glass cover	85x50x57	122	124	127	129
ПГ 3200-06 K33	gas-control of oven and hob burners, electric ignition of cooking surface burners, ignition knob on control panel, single oven illumination, stamped guides, oven thermopointer, cover of cooker, utensil box, adjustment feet. Oven net volume is 42 l.	white color	85x50x57	113	115	118	120
ПГ 3200-06 K43	gas-control of oven and hob burners, electric ignition of cooking surface burners, ignition knob on control panel, single oven illumination, stamped guides, oven thermopointer, cover of cooker, utensil box, adjustment feet. Oven net volume is 42 l.	brown color	85x50x57	115	117	120	122
ПГ 3200-08	oven gas-control, stamped guides, oven thermopointer, splash guard. Oven net volume - 42 l.	white color	85x50x57	82	83	85	86
ПГ 3200-08 K19	oven gas-control, stamped guides, oven thermopointer, splash guard. Oven net volume - 42 l.	brown color	85x50x57	84	85	87	88
ПГ 3200-08 K33	gas-control of oven and hob burners, stamped guides, oven thermopointer, splash guard. Oven net volume - 42 l. штампованные направляющие, термоуказатель духовки, шток. Полезный объем духовки - 42 литра.	white color	85x50x57	93	94	97	98
ПГ 3200-08 K43	gas-control of oven and hob burners, stamped guides, oven thermopointer, splash guard. Oven net volume - 42 l. штампованные направляющие, термоуказатель духовки, шток. Полезный объем духовки - 42 литра.	brown color	85x50x57	96	97	99	101
ПГ 3100-08	oven gas-control, stamped guides, oven thermopointer, splash guard. Oven net volume - 42 l.	white color	85x50x53	76	77	79	80
ПГ 3100-08 K19	oven gas-control, stamped guides, oven thermopointer, splash guard. Oven net volume - 42 l.	brown color	85x50x53	78	79	81	82
ПГ 3500	mechanical timer, oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, grill-burner, roasting spit with electric motor, single oven illumination, stamped guides, oven thermopointer, utensil box, adjustment feet. Front panel with pattern, heat-resistant glass hob, cast-iron grids. Oven net volume is 42 l.	glass front panel with pattern "marble"	85x50x57	172	175	179	182
ПГ 3500 K19		brown glass front panel with pattern "marble"	85x50x57	172	175	179	182
ПГ 3500 K32		black glass front panel with pattern "marble"	85x50x57	172	175	179	182
ПГ 5100-02	mechanical timer, oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, grill-burner, roasting spit with electric motor, oven thermoregulator, single oven illumination, wire guides, cast-iron grids, utensil box, cover of cooker, adjustment feet. Oven net volume is 52 l.	white color	85x50x58,5	144	146	150	152
ПГ 5100-02 0001		brown color	85x50x58,5	146	148	152	154
ПГ 5100-02 0002		white color, glass cover	85x50x58,5	151	153	157	159
ПГ 5100-02 0004		stainless steel hob and front panel, glass cover	85x50x58,5	169	172	176	179
ПГ 5100-02 0009	oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, grill-burner, oven thermoregulator, single oven illumination, wire guides, cast-iron grids, utensil box, metal cover of cooker, adjustment feet. Oven net volume is 52 l.	white color	85x50x58,5	132	134	137	139
ПГ 5100-02 0010	oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, grill-burner, oven thermoregulator, single oven illumination, wire guides, cast-iron grids, utensil box, metal cover of cooker, adjustment feet. Oven net volume is 52 l.	brown color	85x50x58,5	133	135	138	140
ПГ 5100-02 0067	mechanical timer, oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, grill-burner, roasting spit with electric motor, oven thermoregulator, single oven illumination, wire guides, cast-iron grids, utensil box, metal cover of cooker, adjustment feet. Oven net volume is 52 l.	beige color	85x50x58,5	148	150	154	156
ПГ 5100-02 0068		grey color	85x50x58,5	151	153	157	159
ПГ 5100-02 0081	mechanical timer, oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, grill-burner, roasting spit with electric motor, thermoregulator, single oven illumination, wire guides, cast-iron grids, utensil box, glass cover of cooker, adjustment feet. "Retro" design. Oven net volume is 52 l.	white color, white knobs with "gold" decoration	85x50x58,5	164	167	171	174
ПГ 5100-02 0082		beige color, black knobs with "gold" decoration	85x50x58,5	169	172	176	179
ПГ 5100-02 0083		black color, black knobs with "gold" decoration	85x50x58,5	167	170	174	177
ПГ 5100-02 0085	oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, grill-burner, oven thermoregulator, single oven illumination, wire guides, cast-iron grids, utensil box, cover of cooker, adjustment feet. "Retro" design. Oven net volume is 52 l.	white color, white knobs with "gold" decoration	85x50x58,5	156	158	162	164
ПГ 5100-02 0086		beige color, black knobs with "gold" decoration	85x50x58,5	161	163	167	170
ПГ 5100-02 0087		black color, black knobs with "gold" decoration, glass cover	85x50x58,5	164	166	170	173
ПГ 5100-03	electronic timer, oven gas-control, gas-control of hob burners, electric ignition of cooking surface/oven burners, ignition function is incorporated into control knobs, grill-burner, roasting spit with electric motor, oven thermoregulator, single oven illumination, wire guides, cast-iron grids, utensil box, cover of cooker, adjustment feet. Oven net volume is 52 l.	white color	85x50x58,5	156	158	162	164
ПГ 5100-03 0001		brown color	85x50x58,5	159	161	164	167
ПГ 5100-03 0002		white color, glass cover	85x50x58,5	164	166	170	173
ПГ 5100-03 0003		brown color, glass cover	85x50x58,5	166	169	173	176
ПГ 5100-03 0004	stainless steel hob and front panel, glass cover	85x50x58,5	178	181	185	188	

ПГ 5100-04	electronic multifunctional timer, oven gas-control,gas-control of hob burners, electric ignition of cooking surface/oven burners, ignition function is incorporated into control knobs, grill-burner,roasting spit, hibachi unit, oven thermoregulator, single oven illumination, wire guides, cast-iron grids, utensil box, cover of cooker, adjustment feet. Oven net volume is 52 l.	white color	85x50x58,5	175	178	182	185
ПГ 5100-04 0001		brown color	85x50x58,5	178	181	185	188
ПГ 5100-04 0002		white color, glass cover	85x50x58,5	183	186	190	193
ПГ 5100-04 0003		brown color, glass cover	85x50x58,5	186	189	194	197
ПГ 5100-04 0004		stainless steel hob and front panel, glass cover	85x50x58,5	202	205	210	213
ПГ 5300-02 0046	mechanical timer, oven gas-control,electric ignition of cooking surface/oven burners, ignition knob on control panel, grill-burner,roasting spit with electric motor, single oven illumination, wire guides, cast-iron grids, oven thermoregulator, utensil box, glass cover of cooker, adjustment feet. Glass front panel, enamelled hob. Oven net volume is 52 l.	black front panel with raster pattern	85x50x58,5	156	158	162	164
ПГ 5300-02 0047		brown front panel with raster pattern	85x50x58,5	156	158	162	164
ПГ 5300-02 0143		front panel with pattern "marble", black hob	85x50x58,5	133	135	138	140
ПГ 5300-03 0046	touch-sensitive timer, oven gas-control, hob burners gas-control, electric ignition of cooking surface/oven burners, ignition function is fitted into control knobs, grill-burner,roasting spit with electric motor, single oven illumination, wire guides, cast-iron grids, oven thermoregulator, utensil box, glass cover of cooker, adjustment feet. Glass front panel, enamelled hob. Oven net volume is 52 l.	black front panel with raster pattern	85x50x58,5	177	180	184	187
ПГ 5300-03 0047		brown front panel with raster pattern	85x50x58,5	177	180	184	187
ПГ 5500-03 0042	touch-sensitive timer, oven gas-control, hob burners gas-control, electric ignition of cooking surface/oven burners, ignition function is fitted into control knobs, grill-burner,roasting spit with electric motor, single oven illumination, wire guides, cast-iron grids, oven thermoregulator, utensil box, adjustment feet. Glass front panel, heat-resistant glass hob. Oven net volume is 52 l.	white front panel with raster pattern	85x50x58,5	199	202	207	210
ПГ 5500-03 0044		black front panel with raster pattern	85x50x58,5	199	202	207	210
ПГ 5500-03 0045		brown front panel with raster pattern	85x50x58,5	199	202	207	210
ПГ 6100-01	oven gas-control,electric ignition of cooking surface burners, ignition knob on control panel, oven thermopointer, single oven illumination, wire guides, cast-iron grids, utensil box, metal cover of cooker, adjustment feet. Oven net volume is 52 l.	white color	85x60x60	125	127	130	132
ПГ 6100-01 0001		brown color	85x60x60	127	129	132	134
ПГ 6100-01 0002		white color, glass cover	85x60x60	133	135	138	140
ПГ 6100-02		white color	85x60x60	154	156	160	162
ПГ 6100-02 0001	mechanical timer, oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, grill-burner,roasting spit with electric motor, oven thermoregulator,double oven illumination, wire guides, cover of cooker, cast-iron grids, utensil box, adjustment feet. Oven net volume is 52 l.	brown color	85x60x60	156	158	162	164
ПГ 6100-02 0002		white color, glass cover	85x60x60	162	164	168	171
ПГ 6100-02 0003		brown color, glass cover	85x60x60	164	167	171	174
ПГ 6100-02 0004		stainless steel hob/front panel, glass cover	85x60x60	181	184	188	191
ПГ 6100-02 0009		oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, grill-burner,double oven illumination, wire guides, oven thermoregulator, metal cover of cooker, cast-iron grids, utensil box, adjustment feet. Oven net volume is 52 l.	white color	85x60x60	139	141	145
ПГ 6100-02 0010		brown color	85x60x60	141	143	147	149
ПГ 6100-02 0011	oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, grill-burner, oven thermoregulator,double oven illumination, wire guides, glass cover of cooker, cast-iron grids, utensil box, adjustment feet. Oven net volume is 52 l.	white color	85x60x60	147	149	153	155
ПГ 6100-02 0012		brown color	85x60x60	149	151	155	157
ПГ 6100-02 0067	mechanical timer, oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, grill-burner,roasting spit with electric motor, oven thermoregulator,double oven illumination, wire guides, metal cover of cooker, cast-iron grids, utensil box, adjustment feet. Oven net volume is 52 l.	beige color	85x60x60	158	160	164	166
ПГ 6100-02 0068		grey color	85x60x60	161	163	167	170
ПГ 6100-02 0081	mechanical timer, oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, grill-burner,roasting spit with electric motor, oven thermoregulator,double oven illumination, wire guides, glass cover of cooker, cast-iron grids, utensil box, adjustment feet. "Retro" design. Oven net volume is 52 l.	white color, white knobs with "gold" decoration	85x60x60	175	178	182	185
ПГ 6100-02 0082		beige color, black knobs with "gold" decoration	85x60x60	180	183	187	190
ПГ 6100-02 0083		black color, black knobs with "gold" decoration	85x60x60	178	181	185	188
ПГ 6100-02 0085	oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, grill-burner, oven thermoregulator,double oven illumination, wire guides, cover of cooker, cast-iron grids, utensil box, adjustment feet. "Retro" design. Oven net volume is 52 l.	white color,white knobs with "gold" decoration	85x60x60	166	169	173	176
ПГ 6100-02 0086		beige color, black knobs with "gold" decoration	85x60x60	171	174	178	181
ПГ 6100-02 0087		black color, black knobs with "gold" decoration, glass cover	85x60x60	174	177	181	184
ПГ 6100-03	electronic timer, oven gas-control,gas-control of hob burners, electric ignition of cooking surface/oven burners, ignition function is incorporated into control knobs, grill-burner,roasting spit with electric motor, oven thermoregulator, double oven illumination, wire guides, cast-iron grids, utensil box, cover of cooker, adjustment feet. Oven net volume is 52 l.	white color	85x60x60	166	169	173	176
ПГ 6100-03 0001		brown color	85x60x60	169	172	176	179
ПГ 6100-03 0002		white color, glass cover	85x60x60	173	176	180	183
ПГ 6100-03 0003		brown color, glass cover	85x60x60	177	180	184	187
ПГ 6100-03 0004		stainless steel hob/front panel, glass cover	85x60x60	191	194	199	202
ПГ 6100-04	electronic multifunctional timer, oven gas-control,gas-control of hob burners, electric ignition of cooking surface/oven burners, ignition function is incorporated into control knobs, grill-burner,roasting spit with electric motor, hibachi unit, oven thermoregulator, double oven illumination, wire guides, cast-iron grids, utensil box, cover of cooker, adjustment feet. Oven net volume is 52 l.	white color/цвет белый	85x60x60	186	189	194	197
ПГ 6100-04 0001		brown color	85x60x60	190	193	198	201
ПГ 6100-04 0002		white color, glass cover	85x60x60	195	198	203	206
ПГ 6100-04 0003		brown color, glass cover	85x60x60	199	202	207	210
ПГ 6100-04 0004		stainless steel hob/front panel, glass cover	85x60x60	215	218	224	227
ПГ 6300-02 0046	mechanical timer, oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, grill-burner,roasting spit with electric motor, oven thermoregulator, double oven illumination, wire guides, cast-iron grids, utensil box, glass cover of cooker, adjustment feet. Glass front panel, enamelled hob. Oven net volume is 52 l.	black front panel with raster pattern	85x60x60	166	169	173	176
ПГ 6300-02 0047		brown front panel with raster pattern	85x60x60	166	169	173	176
ПГ 6300-03 0046	touch-sensored timer, oven gas-control,gas-control of hob burners, electric ignition of cooking surface/oven burners, ignition function is incorporated into control knobs, grill-burner,roasting spit with electric motor, oven thermoregulator, double oven illumination, wire guides, cast-iron grids, utensil box, glass cover of cooker, adjustment feet. glass front panel, enamelled hob. Oven net volume is 52 l.	black front panel with raster pattern	85x60x60	190	193	198	201
ПГ 6300-03 0047		brown front panel with raster pattern	85x60x60	190	193	198	201
ПГ 6500-02 0042	mechanical timer, oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, grill-burner,roasting spit with electric motor, oven thermoregulator, double oven illumination, wire guides, cast-iron grids, utensil box, glass cover of cooker, adjustment feet. Glass front panel,heat-resistant glass hob. Without cover.Oven net volume is 52 l.	white front panel with raster pattern	85x60x60	184	187	191	194
ПГ 6500-02 0044		black front panel with raster pattern	85x60x60	184	187	191	194
ПГ 6500-02 0045		brown front panel with raster pattern	85x60x60	184	187	191	194
ПГ 6500-02 0113		front panel with "marble" pattern	85x60x60	180	183	187	190
ПГ 6500-02 0114	mechanical timer, oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, grill-burner,roasting spit with electric motor, oven thermoregulator, single oven illumination, wire guides, utensil box, adjustment feet. Heat-resistant glass hob, without cover. Oven net volume is 52 l.	brown front panel with "marble" pattern	85x60x60	180	183	187	190
ПГ 6500-02 0115		black front panel with raster pattern	85x60x60	180	183	187	190
ПГ 6500-03 0042	touch-sensored timer, oven gas-control,gas-control of hob burners, electric ignition of cooking surface/oven burners, ignition function is incorporated into control knobs, grill-burner,roasting spit with electric motor, oven thermoregulator, double oven illumination, wire guides, cast-iron grids, utensil box, adjustment feet. Glass front panel, heat-resistant hob. Without cover. Oven net volume is 52 l.	white front panel with raster pattern	85x60x60	207	210	215	218
ПГ 6500-03 0044		black front panel with raster pattern	85x60x60	207	210	215	218
ПГ 6500-03 0045		brown front panel with raster pattern	85x60x60	207	210	215	218
ПГ 6500-04 0069	electronic multifunctional timer, oven gas-control,gas-control of hob burners, electric ignition of cooking surface/oven burners, ignition function is incorporated into control knobs, grill-burner,roasting spit with electric motor, hibachi unit, oven thermoregulator, double oven illumination, wire guides, cast-iron grids, utensil box, glass cover of cooker, adjustment feet. Glass front panel, heat-resistant hob. Oven net volume is 52 l.	black glass front panel with plates of stainless steel	85x60x60	231	235	240	244
Domestic combined gas and electric cookers							
ПГЭ 5102-02	electromechanical timer, electric ignition of cooking surface burners, ignition knob on control panel, electric grill unit, roasting spit with electric motor, single oven illumination, oven thermoregulator, oven wire guides, metal cover of cooker, cast iron grids, utensil box, adjustment feet. Oven net volume is 52 l.	white color	85x50x58,5	148	150	154	156
ПГЭ 5102-02 0001		brown color	85x50x58,5	151	153	157	159

ПГЭ 5102-03	electronic timer, gas-control of cooking surface burners, electric ignition of cooking surface burners, ignition unit is installed into control buttons, electric grill unit, convection unit, turbo-grill, roasting spit with electric motor, hibachi unit, oven thermoregulator, single oven illumination, wire guides, metal cover of cooker, cast iron grids, utensil box, adjustment feet. Oven net volume is 52 l.	white color	85x50x58,5	174	177	181	184
ПГЭ 5102-03 0023	electromechanical timer, electric ignition of cooking surface burners, ignition knob on control panel, electric grill unit, convection unit, turbo-grill, roasting spit with electric motor, single oven illumination, wire guides, metal cover of cooker, cast iron grids, utensil box, adjustment feet. Oven net volume is 52 l.	white color	85x50x58,5	154	156	160	162
ПГЭ 5110-01	electric plate, oven gas-control, electric ignition of oven/cooking surface burners, ignition knob on control panel, single oven illumination,oven wire guides, utensil box, metal cover of cooker, adjustment feet. Oven net volume is 52 l.	white color	85x50x58,5	118	120	123	125
ПГЭ 5110-01 0005	electric plate, oven gas-control, single oven illumination,oven wire guides, metal cover of cooker, utensil box, adjustment feet. Oven net volume is 52 l.	white color	85x50x58,5	115	117	120	122
ПГЭ 5110-02	electric plate, mechanical timer, oven gas-control, electric ignition of oven/cooking surface burners, ignition knob on control panel, grill-burner, roasting spit with electric motor, oven thermoregulator, single oven illumination,oven wire guides, utensil box, metal cover of cooker, adjustment feet. Oven net volume is 52 l.	white color	85x50x58,5	143	145	149	151
ПГЭ 5112 0112	2 electric plates, 2 gas burners with electric ignition unit (ignition unit on control panel), cast-iron grid, electric oven, oven thermoregulator, single oven illumination, stamped guid, flap cover of utensil box, adjustment feet, splash guard. Oven net volume is 52 l.	white color	85x50x58,5	138	140	144	146
ПГЭ 5112-02	electromechanical timer, electric plate, electric ignition of cooking surface burners, ignition knob on control panel, electric oven, electric grill, roasting spit with electric motor, oven thermoregulator, single oven illumination,oven wire guides, utensil box, metal cover of cooker, adjustment feet. Oven net volume is 52 l.	white color	85x50x58,5	147	149	153	155
ПГЭ 5502-02 0042	electromechanical timer, electric ignition of cooking surface burners, ignition knob on control panel, electric oven, electric grill, roasting spit with electric motor, oven thermoregulator, single oven illumination,oven wire guides, cast-iron grids, utensil box, metal cover of cooker, adjustment feet. Glass front panel, hob of heat-resistant glass. Oven net volume is 52 l.	white front panel with raster pattern	85x50x58,5	175	178	182	185
ПГЭ 5502-02 0044		black front panel with raster pattern	85x50x58,5	175	178	182	185
ПГЭ 5502-02 0045		brown front panel with raster pattern	85x50x58,5	175	178	182	185
ПГЭ 5502-03 0044	touch-sensored timer, electric ignition of cooking surface burners, ignition function is integrated into control knobs, gas-control of cooking surface burners, electric oven,oven thermoregulator, fan, turbo-grill, electric grill, roasting spit with electric motor, hibachi unit, single oven illumination,oven wire guides, cast-iron grids, utensil box, adjustment feet. Glass front panel, hob of heat-resistant glass. Without cover. Oven net volume is 52 l.	black glass front panel with raster pattern	85x50x58,5	204	207	212	215
ПГЭ 5502-03 0045		brown glass front panel with raster pattern	85x50x58,5	204	207	212	215
ПГЭ 6101-02	mechanical timer, oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, electric grill unit, roasting spit with electric motor, oven thermoregulator, double oven illumination, wire guides, metal cover of cooker, cast iron grids, utensil box, adjustment feet. Oven net volume is 52 l.	white color	85x60x60	150	152	156	158
ПГЭ 6101-02 0001		brown color	85x60x60	153	155	159	161
ПГЭ 6102-02	electromechanical timer, electric ignition of cooking surface burners, ignition knob on control panel, oven thermoregulator, electric grill unit, roasting spit with electric motor, single oven illumination, metal cover of cooker, cast iron grids, utensil box, adjustment feet. Oven net volume is 52 l.	white color	85x60x60	155	157	161	163
ПГЭ 6102-02 0001		brown color	85x60x60	158	160	164	166
ПГЭ 6102-03	electronic timer, gas-control of cooking surface burners, electric ignition of cooking surface burners, ignition unit is installed into control buttons, oven thermoregulator, electric grill unit, turbo-grill, roasting spit with electric motor, hibachi unit, double oven illumination,metal cover of cooker, cast iron grids, utensil box, adjustment feet. Oven net volume is 52 l.	white color	85x60x60	183	186	190	193
ПГЭ 6102-03 0001		brown color	85x60x60	186	189	194	197
ПГЭ 6110-01		white color	85x60x60	129	131	134	136
ПГЭ 6110-01 0001	1 electric plate, oven gas-control, electric ignition of oven/cooking surface burners, ignition knob on control panel, oven thermoregulator, single oven illumination, utensil box, metal cover of cooker, adjustment feet. Oven net volume is 52 l.	brown color	85x60x60	132	134	137	139
ПГЭ 6110-01 0005	1 electric plate, oven gas-control,oven thermoregulator, single oven illumination, utensil box, metal cover of cooker, adjustment feet. Oven net volume is 52 l.	white color	85x60x60	122	124	127	129
ПГЭ 6110-02	mechanical timer, 1 electric plate, oven gas-control, electric ignition of cooking surface/oven burners, ignition knob on control panel, oven thermoregulator, grill-burner, roasting spit with electric motor, double oven illumination, utensil box, metal cover of cooker, adjustment feet. Oven net volume is 52 l.	white color	85x60x60	155	157	161	163
ПГЭ 6110-02 0001		brown color	85x60x60	158	160	164	166
ПГЭ 6111-02	mechanical timer, 1 electric plate, oven gas-control, electric ignition of cooking surface/oven burners, oven thermoregulator, grill-burner, roasting spit with electric motor, double oven illumination, utensil box, cover of cooker, adjustment feet. Oven net volume is 52 l.	white color	85x60x60	155	157	161	163
ПГЭ 6111-02 0001		brown color	85x60x60	159	161	164	167
ПГЭ 6112-02	electromechanical timer, 1 electric plate, electric ignition of cooking surface gas burners, oven thermoregulator, roasting spit with electric motor, single oven illumination, utensil box, metal cover of cooker, adjustment feet. Oven net volume is 52 l.	white color	85x60x60	157	159	163	165
ПГЭ 6502-02 0042	electromechanical timer, electric ignition of cooking surface burners, ignition knob on control panel, oven thermoregulator, electric grill, roasting spit with electric motor, single oven illumination, wire guides, utensil box, adjustment feet. Glass front panel, hob of heat-resistant glass, cast-iron grids, no cover.Oven net volume is 52 l.	white front panel with raster pattern	85x60x60	185	188	193	196
ПГЭ 6502-02 0044		black front panel with raster pattern	85x60x60	185	188	193	196
ПГЭ 6502-02 0045		brown front panel with raster pattern	85x60x60	185	188	193	196
ПГЭ 6502-03 0044	touch-sensored timer, electric ignition of cooking surface burners is installed into control buttons, gas-control of cooking surface burners, oven thermoregulator, electric grill unit, turbo-grill, roasting spit with electric motor, hibachi unit, double oven illumination, wire guides, cast iron grids, utensil box, adjustment feet. Glass front panel, hob of heat-resistant glass, no cover.Oven net volume is 52 l.	black front panel with raster pattern	85x60x60	211	214	220	223
ПГЭ 6502-03 0045		brown front panel with raster pattern	85x60x60	211	214	220	223
ПГЭ 6502-03 0029	electromechanical timer, electric ignition of cooking surface burners, ignition knob on control panel, oven thermoregulator, fan, turbo-grill, electric grill, roasting spit with electric motor, double oven illumination, oven wire guides, utensil box, adjustment feet. Glass front panel, hob of heat-resistant glass, cast-iron grids. Without cover. Oven net volume is 52 l.	black front panel with raster pattern	85x60x60	194	197	202	205
ПГЭ 6502-03 0030		brown front panel with raster pattern	85x60x60	194	197	202	205
Domestic electric cookers							
ЭП Н Д 5140	three electric plates of cooking surface,bottom heating element + top heating element, single oven illumination, stamped oven guides, metal cover of cooker, folding door, adjustment feet. Oven net volume - 52 l.	white color	85x50x58,5	98	99	101	103
ЭП Н Д 5140 0001		brown color	85x50x58,5	99	101	103	105
ЭП Н Д 5140 0031	three electric plates of cooking surface,bottom heating element + top heating element, single oven illumination, stamped oven guides, splash guard, folding door, adjustment feet. Oven net volume - 52 l.	white color	85x50x58,5	90	91	94	95
ЭП Н Д 5140-01	four electric plates of cooking surface, electric grill, bottom heating element + top heating element, single oven illumination, stamped oven guides, metal cover of cooker, folding door, adjustment feet. Oven net volume - 52 l.	white color	85x50x58,5	117	119	122	124
ЭП Н Д 5140-01 0001		brown color	85x50x58,5	119	121	124	126
ЭП Н Д 5140-01 0035	four electric plates of cooking surface,express electric plate, bottom heating element + top heating element, single oven illumination, stamped oven guides, splash guard, folding door, adjustment feet. Oven net volume - 52 l.	white color	85x50x58,5	105	107	109	111
ЭП Н Д 5140-01 0036		brown color	85x50x58,5	108	110	112	114
ЭП Н Д 5140-02	four electric plates of cooking surface,express electric plate, electromechanical timer, electric grill, power grill, convection unit, roasting spit with electric motor, single oven illumination, wire oven guides,utensil box, metal cover of cooker, adjustment feet. Oven net volume - 52 l.	white color	85x50x58,5	133	135	138	140
ЭП Н Д 5140-02 0037		white color	85x50x58,5	122	124	127	129
ЭП Н Д 5140-02 0038	four electric plates of cooking surface,express electric plate, electromechanical timer, electric grill, single oven illumination, metal cover of cooker, utensil box, adjustment feet. Oven net volume - 52 l.	brown color	85x50x58,5	125	127	130	132
ЭП Н Д 5160-01 0033	glass ceramic cooking surface, single oven illumination, stamped oven guides, folding door, adjustment feet. Oven net volume - 52 l.	white color	85x50x58,5	177	180	184	187
ЭП Н Д 5160-02 0095	glass ceramic cooking surface, single oven illumination, wire oven guides, utensil box, adjustment feet. Oven net volume - 52 l.	white color	85x50x58,5	183	186	190	193
ЭП Н Д 5560-03 0001	glass ceramic cooking surface, double heating zone plate, electronic timer, electric grill, turbo-grill, convection unit, roasting spit with electric motor, hibachi unit, single oven illumination,wire oven guides, utensil box, adjustment feet. Oven net volume - 52 l.	brown glass front panel with pattern "marble"	85x50x58,5	218	221	227	230
ЭП Н Д 5560-03 0043		black glass front panel with pattern "marble"	85x50x58,5	218	221	227	230
ЭП Н Д 5560-03 0057		black glass front panel	85x50x58,6	223	226	231	235

ЭП Н Д 6140-01	four electric plates of cooking surface, electric grill, bottom heating element + top heating element, single oven illumination, stamped guides, metal cover of cooker, folding door, adjustment feet. Oven net volume - 52 l.	white color	85x60x60	121	123	126	128	
ЭП Н Д 6140-02	four electric plates of cooking surface, express electric plate, electromechanical timer, power grill, convection unit, roasting spit with electric motor, double oven illumination, wire oven guides, utensil box, metal cover of cooker, adjustment feet. Oven net volume - 52 l.	white color	85x60x60	141	143	147	149	
ЭП Н Д 6140-02 0001		brown color	85x60x60	143	145	149	151	
ЭП Н Д 6140-03	four electric plates of cooking surface, express electric plate, electronic timer, electric grill, turbo-grill, convection unit, roasting spit with electric motor, double oven illumination, wire oven guides, utensil box, metal cover of cooker, adjustment feet. Oven net volume - 52 l.	white color	85x60x60	156	158	162	164	
ЭП Н Д 6140-03 0001		brown color	85x60x60	160	162	165	168	
ЭП Н Д 6560-03 0001	glass ceramic cooking surface, 2 double heating zone plates, electronic timer, electric grill, turbo-grill, convection unit, roasting spit with electric motor, hibachi unit, double oven illumination, wire oven guides, utensil box, adjustment feet. Oven net volume - 52 l.	brown glass front panel with pattern "marble"	85x60x60	224	227	232	236	
ЭП Н Д 6560-03 0043		black glass front panel with pattern "marble"	85x60x60	224	227	232	236	
Tourist cookers								
ПГ 100	gas oven, two gas burners, thermopointer, oven gas-control, fixed position "small flame", double glass of oven door, shaped grid, thermoresistent enameled coating of hob, cover of cooker, adjustment feet. Oven net volume - 19 l.	white color	40x55x40	53	54	55	56	
ПГ 100 К19		brown color	40x55x40	53	54	55	56	
ПГЭ 120	electric oven, two gas burners, thermostatic valve, fixed position "small flame", double glass of oven door, shaped grid, thermoresistent enameled coating of hob, cover of cooker, adjustment feet. Oven net volume - 18 l.	white color	40x55x39	65	66	68	69	
ПГЭ 120 К19		brown color	40x55x39	65	66	68	69	
ЭП Нс Д 420	electric oven, two gas burners, thermostatic valve, double glass of oven door, thermoresistent enameled coating, cover of cooker, adjustment feet. Oven net volume - 18 l.	white color	40x55x37	74	75	77	78	
ЭП Нс Д 420 К19		brown color	40x55x37	74	75	77	78	
ПГ 900	fixed position "small flame", four gas burners, shaped grid, thermoresistent enameled coating, adjustment feet.	white color	12,7x50x52	30	30	31	31	
ПГ 900 К17		brown color	12,7x50x52	30	30	31	31	
ПГЭ 910-01	fixed position "small flame", one electric plate, three gas burners, shaped grid, thermoresistent enameled coating, splash guard, adjustment feet.	white color	12,7x50x52	35	36	36	37	
ПГ 700-02	fixed position "small flame", two gas burners, straight grid, thermoresistent enameled coating, adjustment feet.	brown color	10x50x37,4	14	14	15	15	
ПГ 700-03		white color	10x50x37,4	14	14	15	15	
ПЭ 720	2 cast-iron electric plates, including 1 express plate, mechanical switch with 7 positions, indication of electric plates mode, thermoresistent enameled coating, adjustment feet.	white color	9x50x34,5	25	25	26	26	
ПГТ 1 802	1 gas burner, fixed position "small flame", shaped grid, thermoresistent enameled coating.	brown color	9,5x17x19,5	6	6	6	6	
Built-in gas hobs								
СГ СН 1210 К2	fixed position "small flame", cast iron double grid, enameled cooking surface.	anthracite color	8,5x59x52	56	57	58	59	
СГ СН 1210 К4		white color	8,5x59x52	53	54	55	56	
СГ СН 1210 К5		stainless steel	8,5x59x52	57	58	59	60	
СГ СН 1210 К7		brown color	8,5x59x52	53	54	55	56	
СГ СН 1211	fixed position "small flame", built-in electric ignition, gas-control system, cast iron double grid, enameled cooking surface.	white color	9,5x59x51	67	68	70	71	
СГ СН 1211 К3		black gloss color	9,5x59x51	70	71	73	74	
СГ СН 1211 К6		grey color	9,5x59x51	71	72	74	75	
СГ СН 1211 К8		beige color	9,5x59x51	70	71	73	74	
СГ СН 1211 К17		brown color	9,5x59x51	67	68	70	71	
СГ СН 1211 К21		anthracite color	9,5x59x51	68	69	71	72	
СГ СН 1211 К30		stainless steel	9,5x59x51	73	74	76	77	
СГ СН 1211 К61		fixed position "small flame", built-in electric ignition, gas-control system, cast iron double grid, enameled cooking surface. "Retro" design.	beige color	9,5x59x51	83	84	86	87
СГ СН 1211 К71			9,5x59x51	83	84	86	87	
СГ СН 1211 К62			white color	9,5x59x51	83	84	86	87
СГ СН 1211 К73	black color		9,5x59x51	83	84	86	87	
ПВГ 2001	cast-iron grid of hob, incorporated electric ignition unit, gas-control system, 1 rapid burner.	"Domino" . Glass plate of black color	10x30x53	50	51	52	53	
ПВГ 2002	cast-iron grid of hob, incorporated electric ignition unit, gas-control system, 2 semirapid burners.		10x30x53	58	59	60	61	
ПВГ 2003	cast-iron grid of hob, incorporated electric ignition unit, gas-control system, 2 rapid burners and 1 auxiliary burner.		10x30x53	57	58	59	60	
СГ СН 2120	glass surface, three burners, incorporated electric ignition unit, gas-control system, fixed position "small flame", cast-iron grids.	black color	10,2x73,3x50	94	95	98	99	
СГ СН 2120 К1		with pattern	10,2x73,3x50	94	95	98	99	
СГ СН 2120 К6		white color	10,2x73,3x50	94	95	98	99	
СГ СВН 2230 К3	glass surface, three burners, incorporated electric ignition unit, gas-control system, fixed position "small flame", cast-iron grids.	black color, knobs with plating	10x60x52,5	103	105	107	109	
СГ СВН 2230 К4		brown color	10x60x52,5	103	105	107	109	
СГ СВН 2230 К6		silver color	10x60x52,5	103	105	107	109	
СГ СВН 2230 К8		beige color	10x60x52,5	103	105	107	109	
СГ СВН 2230 К9		silver, independent grids	10x60x52,5	103	105	107	109	
СГ СВН 2230 К10		beige color, independent grids	10x60x52,5	103	105	107	109	
СГ СВН 2230 К11		white color, independent grids	10x60x52,5	103	105	107	109	
СГ СВН 2230 К12		white color	10x60x52,5	103	105	107	109	
СГ СВН 2230 К15		white with red pattern	10x60x52,5	105	107	109	111	
СГ СВН 2230 К16		black with red pattern	10x60x52,5	105	107	109	111	
СГ СВН 2230 К17		brown with pattern "coffee"	10x60x52,5	105	107	109	111	
СГ СВН 2230 К18		white with pattern "Gzhel"	10x60x52,5	105	107	109	111	
СГ СВН 2230 К19		black with beige pattern	10x60x52,5	105	107	109	111	
СГ СВН 2230 К23		black with a plate of stainless steel	10x60x52,5	105	107	109	111	
СГ СВН 2230 К27		brown color with graining pattern	10x60x52,5	107	109	111	113	
СГ СВН 2230 К28		white color with 3D pattern	10x60x52,5	105	107	109	111	
СГ СВН 2230-01 К2		glass surface, three-rings burner, incorporated electric ignition unit, gas-control system, fixed position "small flame", cast-iron grids.	glass plate of black color	10x60x52,5	106	108	110	112
ПВГ 2231 К3	glass surface, burners location as rhomb, incorporated electric ignition unit, gas-control system, fixed position "small flame", cast-iron grids.	glass plate of black color	10x60x52,5	106	108	110	112	
ПВГ 2231 К12		glass plate of white color	10x60x52,5	108	110	112	114	
ПВГ 2231-01 К3	glass surface, burners location as rhomb, three-rings burner, incorporated electric ignition unit, gas-control system, fixed position "small flame", cast-iron grids.	glass plate of black color	10x60x52,5	109	111	113	115	
ПВГ 2231-01 К12		glass plate of white color	10x60x52,5	111	113	116	118	
ПВГ 2231-05 К3	glass surface, burners location as rhomb, incorporated electric ignition unit, gas-control system, fixed position "small flame", cast-iron grids.	glass plate of black color	10x60x52,5	110	112	114	116	
ПВГ 2231-05 К12		glass plate of white color	10x60x52,5	112	114	117	119	
СГ СН 2340	glass surface, 5 burners including 1 boost burner, incorporated electric ignition unit, gas-control system, fixed position "small flame", cast-iron grids.	glass plate of black color	10x80x52,5	120	122	125	127	
СГ СН 2340 К12		glass plate of black color	10x80x52,5	125	127	130	132	
Built-in electric hobs								
ЭС В СВН 3210	enamelled surface, four electric plates (including 1 express plate), on/off indicator, mechanical control.	white color	7,8x59x52	58	59	60	61	
ЭС В СВН 3210 К17		brown color	7,8x59x52	58	59	60	61	
ЭС В СВН 3210 К21		anthracite color	7,8x59x52	63	64	66	67	
ЭС В СН 4231	glass ceramic surface, 2 one-zone plates, 2 double-zone plates, touch control, timer, lockout, residual heat indicator, on/off indicator, automatic emergency switch-off.	black glass ceramic plate	4,2x59,5x53	155	157	161	163	

ЭС В СН 4232 К1	induction cooking surface, 4heating zones, touch control, timer, rapid warming, residual heat indicator, on/off indicator, automatic emergency switch-off.	black glass ceramic plate	6,5x58x51	182	185	189	192	
Built-in combined gas and electric ovens								
ДГЭ 601-01	mechanical timer, master gas burner, ignition unit is integrated into contro knob, burner gas-control, electric grill, roasting spit with electric motor, wire guides, double illumination .	white color	59,5x59,8x56,5	103	105	107	109	
ДГЭ 601-01 К		brown color	59,5x59,8x56,5	103	105	107	109	
ДГЭ 601-01 А		anthracite colore	59,5x59,8x56,5	103	105	107	109	
Built-in electric ovens								
ЭДВ ДА 602-01	electromechanical timer, power grill, convection unit, grill heating element, roasting spit with electric motor, wire oven guides, single oven illumination.	white color	59,5x59,8x56,5	91	92	95	96	
ЭДВ ДА 602-01 К		brown color/цвет коричневый	59,5x59,8x56,5	91	92	95	96	
ЭДВ ДА 602-01 А		anthracite colore	59,5x59,8x56,5	92	93	96	97	
ЭДВ ДА 602-01 Н1	electromechanical timer, power grill, convection unit, grill heating element, roasting spit with electric motor, wire oven guides, single oven illumination. Stainless steel panel.	black panoramic glass	59,5x59,8x56,5	97	98	100	102	
ЭДВ ДА 602-01 Н1М		mirror panoramic glass	59,5x59,8x56,5			0	0	
ЭДВ ДА 602-02	touch-sensored timer, power grill, convection unit, grill heating element, roasting spit with electric motor, wire oven guides, double oven illumination.	white color	59,5x59,8x56,5	124	126	129	131	
ЭДВ ДА 602-02 К		brown color	59,5x59,8x56,5	124	126	129	131	
ЭДВ ДА 602-02 А		anthracite color	59,5x59,8x56,5	126	128	131	133	
ЭДВ ДА 602-02 В		beige color	59,5x59,8x56,5	128	130	133	135	
ЭДВ ДА 602-02 С		grey color	59,5x59,8x56,5	132	134	137	139	
ЭДВ ДА 602-02 Н1	touch-sensored timer, power grill, convection unit, grill heating element, roasting spit with electric motor, wire oven guides, double oven illumination. Stainless steel panel.	black panoramic color	59,5x59,8x56,5	130	132	135	137	
ЭДВ ДА 602-02 РА	touch-sensored timer, power grill, convection unit, grill heating element, roasting spit with electric motor, wire oven guides, double illumination, retractable control buttons.	black panel	59,5x59,8x56,5	134	136	139	141	
ЭДВ ДА 602-02 PH7		stainless steel panel	59,5x59,8x56,5	138	140	144	146	
ЭДВ ДА 602-02 К61	analog electromechanical timer, power grill, convection unit, grill heating element, roasting spit with electric motor, wire oven guides, double illumination. "Retro" design.	panel and glass of beige color	59,5x59,8x56,5	142	144	148	150	
ЭДВ ДА 602-02 К71		white color	59,5x59,8x56,5	142	144	148	150	
ЭДВ ДА 602-02 К62		black color	59,5x59,8x56,5	142	144	148	150	
ЭДВ ДА 602-02 К73								
ЭДВ ДА 622-01	electromechanical timer, power grill, convection unit, grill heating element, roasting spit with electric motor, wire oven guides, double illumination.	black glass front panel with pattern	59,5x59,8x56,5	130	132	135	137	
ЭДВ ДА 622-01 Н3	electromechanical timer, power grill, convection unit, grill heating element, roasting spit with electric motor, wire oven guides, double illumination. Plates of stainless steel "vertical lines" on control panel and on panoramic glass.	black panoramic glass	59,5x59,8x56,5	132	134	137	139	
ЭДВ ДА 622-02 А	touch-sensored timer, power grill, convection unit, grill heating element, roasting spit with electric motor, wire oven guides, telescopic shelves, double illumination, glass front panel.	black front panel	59,5x59,8x56,5	149	151	155	157	
ЭДВ ДА 622-02 Б		white front panel with pattern	59,5x59,8x56,5	149	151	155	157	
ЭДВ ДА 622-02 С		silver front p[anel with pattern	59,5x59,8x56,5	149	151	155	157	
ЭДВ ДА 622-02 В		beige front panel with pattern	59,5x59,8x56,5	149	151	155	157	
ЭДВ ДА 622-02 К		brown front panel	59,5x59,8x56,5	149	151	155	157	
ЭДВ ДА 622-02 К15		white front panel with red pattern	59,5x59,8x56,5	149	151	155	157	
ЭДВ ДА 622-02 К16		black front panel with red pattern	59,5x59,8x56,5	149	151	155	157	
ЭДВ ДА 622-02 К17		brown front panel with pattern "coffee"	59,5x59,8x56,5	149	151	155	157	
ЭДВ ДА 622-02 К18		white front panel with pattern "Gzhel"	59,5x59,8x56,5	149	151	155	157	
ЭДВ ДА 622-02 К19		black front panel with beige pattern	59,5x59,8x56,5	149	151	155	157	
ЭДВ ДА 622-02 К27		beige front panel with graining pattern	59,5x59,8x56,5	150	152	156	158	
ЭДВ ДА 622-02 К28		white front panel with 3D pattern	59,5x59,8x56,5	149	151	155	157	
ЭДВ ДА 622-02 Д1		black front panel with pattern "violin"	59,5x59,8x56,5	149	151	155	157	
ЭДВ ДА 622-02 Н3		touch-sensored timer, power grill, convection unit, grill heating element, roasting spit with electric motor, wire oven guides, telescopic shelves, double illumination, glass front panel. Plates of stainless steel "vertical lines" on control panel and on panoramic glass.	black front panel	59,5x59,8x56,5	152	154	158	160
ЭДВ ДА 622-03 Н5		touch-sensored timer turbo- grill, convection unit, grill heating element, roasting spit with electric motor, hibachi unit, wire oven guides, telescopic shelves, double illumination, glass front panel.	plates of stainless steel	59,5x59,8x56,5	162	164	168	171
ЭДВ ДА 622-03 PH3М	touch-sensored timer, turbo- grill, convection unit, grill heating element, roasting spit with electric motor, hibachi unit, wire oven guides, telescopic shelves, double illumination, retractable control knobs, glass front panel. Plates of stainless steel "vertical lines" on control panel and on panoramic glass.	mirror front panel	59,5x59,8x56,5	178	181	185	188	
ЭДВ ДА 622-03 PH3		black front panel	59,5x59,8x56,5	175	178	182	185	
ЭДВ ДА 622-04 А	touch control, touch-sensored timer, turbo-grill, convection unit, electric grill, roasting spit with electric motor, hibachi unit, wire oven guides, telescopic shelves, double illumination,	black glass front panel	59,5x59,8x56,5	190	193	198	201	
ЭДВ ДА 622-04 Б		white glass front panel	59,5x59,8x56,5			0	0	
ЭДВ ДА 622-04 А1	touch control, touch-sensored multifunctional timer, automatic cooking programs, power grill, convection unit, grill heating element, roasting spit with electric motor,hibachi unit, wire oven guides, telescopic shelves, double illumination.	black glass front panel	59,5x59,8x56,5	191	194	199	202	
ЭДВ ДА 622-04 Н3	touch control, touch-sensored multifunctional timer, power grill, convection unit, grill heating element, roasting spit with electric motor,hibachi unit, wire oven guides, telescopic shelves, double illumination.	black glass front panel with plates of stainless steel	59,5x59,8x56,5	193	196	201	204	
Air cleaners, hoods								
ВО 10 К44	coal cassette filters, metal frame filters, button-type control, circulating and exhaust modes, three fan operation modes, additional lightning.	metallic color	24x60x46	37	38	39	40	
ВО 10 К45		white color	24x60x46	35	36	36	37	
ВО 10 К47		brown color	24x60x46	35	36	36	37	
ВО 11 К45	coal cassette filters, metal frame filters, button-type control, circulating and exhaust modes, three fan operation modes, additional lightning.	white color	24x50x46	35	36	36	37	
ВО 11 К47		brown color	24x50x46	35	36	36	37	
ВО 1502	metal frame filters, filter with coal impregnation, button-type control, circulating and exhaust modes, three fan operation modes, additional lightning.	white color	30x50x49	43	44	45	46	
ВО 1502 К17		brown color	30x50x49	43	44	45	46	
ВО 1503	metal frame filters, filter with coal impregnation, circulating and exhaust modes, quasi-touch control, light modes indication, four fan operation modes, production capacity 1000 m³/h, additional lightning, timer.	white color	31x50x49	76	77	79	80	
ВО 1503 К17		brown color	31x50x49	76	77	79	80	
ВО 1504 К62	metal frame filters, filter with coal impregnation, circulating and exhaust modes, quasi-touch control, light modes indication, four fan operation modes, production capacity 1000 m³/h, additional lightning, timer. "Retro" design.	white color	30,5x50x50	79	80	82	83	
ВО 1504 К71		beige color	30,5x50x50	79	80	82	83	
ВО 1504 К73		black color	30,5x50x50	79	80	82	83	
ВО 1602	metal frame filters, filter with coal impregnation, circulating and exhaust modes, button-type control, light modes indication, three fan operation modes, additional lightning.	beige color	30x60x49	46	47	48	49	
ВО 1602 К17		brown color	30x60x49	46	47	48	49	
ВО 1602 К12		silver color	30x60x49	50	51	52	53	
ВО 1603		white color	31x60x49	77	78	80	81	
ВО 1603 К17		brown color	31x60x49	77	78	80	81	
ВО 1603 К12		silver color	31x60x49	79	80	82	83	
ВО 1603 К21		black color	31x60x49	77	78	80	81	
ВО 1604 К62		white color	30,5x60x50	81	82	84	85	
ВО 1604 К71		beige color	30,5x60x50	81	82	84	85	
ВО 1604 К73		black color	30,5x60x50	81	82	84	85	

BO 2501		white color, glass protection plate	14x50x50	30	30	31	31
BO 2501 K41	coal cassette filters, metal frame filters, button-type control, circulating and exhaust modes, three fan operation modes, additional lightning.	black color, glass protection plate	14x50x50	30	30	31	31
BO 2501 K47		brown color, glass protection plate	14x50x50	30	30	31	31
BO 2601		white color	14x60x50	30	30	31	31
BO 2601 K41	coal cassette filters, metal strainers, button-type control, circulating and exhaust modes, three fan operation modes, additional lightning.	black color	14x50x50	30	30	31	31
BO 2601 K47		brown color	14x60x50	30	30	31	31
BO 3603		white body, white glass with raster pattern	42,5x60x49	125	127	130	132
BO 3603 D2A		black body, black glass	42,5x60x49	125	127	130	132
BO 3603 D3A		black body, black glass with plates of stainless steel	42,5x60x49	125	127	130	132
BO 3603 D1B		brown body, beige glass with raster pattern	42,5x60x49	125	127	130	132
BO 3603 D1C		metallic color of body, silver glass with raster pattern	42,5x60x49	125	127	130	132
BO 3603 D1K	metal frame filters, filter with coal impregnation, circulating and exhaust modes, quasi-touch control, light modes indication, three fan operation modes, halogen lightning, timer.	brown body, brown glass with raster pattern	42,5x60x49	125	127	130	132
BO 3603 K15		white body, white glass with pattern	42,5x60x49	127	129	132	134
BO 3603 K16		black body, black glass with pattern	42,5x60x49	127	129	132	134
BO 3603 K17		brown body, brown glass with pattern "coffee"	42,5x60x49	127	129	132	134
BO 3603 K18		white body, white glass with pattern "Gzhei"	42,5x60x49	127	129	132	134
BO 3603 K19		black body, black body with pattern	42,5x60x49	127	129	132	134
BO 3603 K27		brown color with graining pattern	42,5x60x49	127	129	132	134
BO 3603 K28		white body, white glass with 3D pattern	42,5x60x49	127	129	132	134
BO 3604 D2A	metal frame filters, filter with coal impregnation, circulating and exhaust modes, quasi-touch control, light modes indication, three fan operation modes, halogen lightning, timer.	black body, black glass	51,5x60x53	125	127	130	132
BO 4501 K17		brown color	30x50x30	48	49	50	51
BO 4501 K20		white color, panel of stainless steel	30x50x30	48	49	50	51
BO 4501 K21	aircleaner of flat type, build-in, telescopic, metal frame filters, recirculating and exhaust modes, three fan operation modes, light modes indication, additional lightning.	black color	30x50x30	48	49	50	51
BO 4601 K17		brown color	30x60x30	49	50	51	52
BO 4601 K20		white color, panel of stainless steel	30x60x30	49	50	51	52
BO 4601 K21		black color	30x60x30	49	50	51	52
BB 1	button-type control, exhaust mode, two fan operation modes, additional lightning.	white color	38x60x53	23	23	24	24
BB 1 K17		brown color	38x60x53	23	23	24	24
BB 2	button-type control, exhaust mode, two fan operation modes, additional lightning.	white color	38x50x53	23	23	24	24
BB 2 K17		brown color	38x50x53	23	23	24	24
Dish washing machines							
45301	built-in dishwashing machine, width - 45 sm., volume - 9 standard sets, drying efficiency rate - "A", duration of standard washing cycle - 153 min., max temperature of water - 64 °C, rated power - 1850 Wt, dishwashing machine weight - 33 kg.		81,5x44,8x55,8	201	204	228	231
60301	built-in dishwashing machine, width - 60 sm., volume - 12 standard sets, drying efficiency rate - "A", duration of standard washing cycle - 153 min., max temperature of water - 64 °C, rated power - 1850 Wt, dishwashing machine weight - 38 kg.		82x59,6x55,5	228	231	257	261
Filters, support for cauldron							
ВOK 51.0 000	set of aerosol filters		-	1,11	1,11	1,2	1,2
ВOK 51.0 000-01	set of aerosol filters with coal impregnation		-	2,17	2,17	2,34	2,34
ВЯЖА 061423.011	coal filter		-	1,21	1,21	1,31	1,31
ПК 3200.26.0.000	support for cauldron		-	1,75	1,75	1,89	1,89